

Brettschichtholz GL 24 (BS 11) - Lagerübersicht



		8,00 m	12,00 m	13,00 m	14,00 m	16,00 m
6 cm	10					
	12		x			
	14		x			
	16		x			
	18					
	20		x			
	22					
	24		x			
	26					
	28					
	30		x			
	32					
	36					
	40		x			
44						
52						
8 cm	10		x			
	12		x			
	14		x			
	16	x	x		x	
	18	x	x		x	
	20	x	x		x	
	22	x	x		x	
	24	x	x		x	
	26					
	28					
	30		x			
	32					

	36					
	40		x			
	44					
	52					
10 cm	10		x			
	12		x			
	14		x			
	16		x			
	18		x			
	20	x	x		x	
	22		x			
	24	x	x		x	
	26		x			
	28	x	x		x	
	30		x			
	32					
	36					
	40					
44						
52						
12 cm	12	x	x		x	
	14		x			
	16	x	x		x	
	18	x	x		x	
	20	x	x		x	
	22		x			
	24	x	x		x	
	26		x			
	28	x	x		x	
	30		x			
	32	x	x		x	
	36	x	x		x	
	40		x		x	x
	44					
52						
14 cm	14	x	x		x	
	16		x			
	18					x
	20	x	x		x	
	22		x			
	24	x	x		x	x
	26		x			
	28	x	x	x	x	x
	30					
	32	x	x		x	x
	36	x	x		x	x
	40		x		x	x
44						

	52					
16 cm	16	x	x		x	
	18					
	20	x	x		x	
	22					
	24	x	x		x	x
	26					
	28	x	x	x	x	x
	30					
	32	x	x	x	x	x
	36	x	x		x	x
	40	x	x		x	x
	44	x	x		x	x
	52					
18 cm	18	x	x		x	
	20		x		x	x
	22					
	24	x	x		x	x
	26					
	28	x	x	x	x	x
	30					
	32	x	x		x	x
	36	x	x		x	x
	40	x	x		x	x
	44	x	x		x	x
	52					
	20 cm	20	x	x		
22						
24		x	x		x	x
26						
28		x	x		x	x
30						
32		x	x		x	x
36		x	x		x	x
40		x	x		x	x
44		x	x		x	x
52		x	x		x	x
22 cm	22		x			
	24					
	26					
	28					
	30					
	32					
	36					
	40					
	44					
	52					
24 cm	24		x			

26					
28					
30					
32	x	x		x	x
36					
40					
44					
52					

= BSH - Nsi

Brettschichtholz Douglasie



DIN 1052 –1 GL24, Standard Si, Resistenzklasse 3, Länge 13,00 m

Breite	Höhe								
	10	12	14	16	18	20	24	28	36
8cm		x (Duo)		x		x	x		
10cm	x (Duo)			x		x			
12cm		x		x		x	x	x	
14cm			x (Duo)	x		x	x	x	x
16cm				x		x	x	x	x
18cm					x				
20cm						x			
24cm							x		

Lagerlängen in m
= BSH - Nsi